

Sheet 1 of 3

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark OfficeAtty Docket No.
P1105R1D1C1Serial No.
09/940,166LIST OF DISCLOSURES CITED BY APPLICANT
(Use several sheets if necessary)Applicant
Blank et al.Filing Date
27 Aug 2001

Group

U.S. PATENT DOCUMENTS

| Examiner Initials | | Document Number | Date | Name | Class | Subclass | Filing Date |
|-------------------|-----|-----------------|----------|-----------------------|-------|----------|-------------|
| ↓ | * 1 | 4,007,113 | 08.02.77 | Ostreicher, E.A. | (| (| |
| | * 2 | 4,305,782 | 15.12.81 | Ostreicher et al. | (| (| |
| | * 3 | 4,604,208 | 05.08.86 | Chu et al. | (| (| |
| | * 4 | 4,676,980 | 30.06.87 | Segal et al. | (| (| |
| | * 5 | 4,816,567 | 28.03.89 | Cabilly et al. | (| (| |
| | * 6 | 4,849,352 | 18.07.89 | Sullivan et al. | (| (| |
| | * 7 | 5,115,101 | 19.05.92 | Bloom, J. W. et al. | (| (| |
| | * 8 | 5,429,746 | 04.07.95 | Shadle et al. | (| (| |
| | * 9 | 5,470,954 | 28.11.95 | Neslund, G. G. et al. | (| (| |
| | *10 | 5,534,615 | 09.07.96 | Baker et al. | (| (| |
| | *11 | 5,591,828 | 07.01.97 | Bosslet, K. et al. | (| (| |
| | *12 | 6,121,022 | 19.09.00 | Presta, et al. | (| (| |

RECEIVED
DEC 11 2001
TECH CENTER 1600/2300

FOREIGN PATENT DOCUMENTS


| Examiner Initials | | Document Number | Date | Country | Class | Subclass | Translation Yes | No |
|-------------------|-----|-----------------|----------|---------------------------------|-------|----------|-----------------|----|
| ↓ | *13 | 0,003,089 A1 | 25.07.79 | EPO (ENGLISH ABSTRACT ATTACHED) | (| (| | |
| | *14 | 127,737 | 12.12.84 | EPO | (| (| | |
| | *15 | WO 90/11814 | 18.10.90 | PCT | (| (| | |
| | *16 | WO 91/00360 | 10.01.91 | PCT | (| (| | |
| | *17 | WO 92/20373 | 26.11.92 | PCT | (| (| | |
| | *18 | WO 93/08829 | 13.05.93 | PCT | (| (| | |
| | *19 | WO 93/11161 | 10.06.93 | PCT | (| (| | |
| | *20 | WO 93/11162 | 10.06.93 | PCT | (| (| | |
| | *21 | WO 93/16185 | 19.08.93 | PCT | (| (| | |
| | *22 | WO 94/04690 | 03.03.94 | PCT | (| (| | |
| | *23 | WO 96/27011 | 06.09.96 | PCT | (| (| | |

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

| | | |
|---|-----|---|
| ↓ | *24 | Brennan et al., "Preparation of bispecific antibodies by chemical recombination of monoclonal immunoglobulin G ₁ fragments" <u>Science</u> 229:81-83 (July 1985) |
| | *25 | Bruggemann et al., "Designer Mice: The Production of Human Antibody Repertoires in Transgenic Animals" <u>Year in Immunology</u> 7:33-40 (1993) |
| | *26 | Carter et al., "High level Escherichia coli expression and production of a bivalent humanized antibody fragment" <u>Bio/Technology</u> 10:163-167 (1992) |
| | *27 | Carter, P. et al., "Humanization of an anti-p185HER2 antibody for human cancer therapy" <u>Proc. Natl. Acad. Sci.</u> 89:4285-4289 (1992) |
| | *28 | Clackson et al., "Making antibody fragments using phage display libraries" <u>Nature</u> 352:624-628 (1991) |

Examiner *David A. Saunders*Date Considered
10/15/03

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



Sheet 2 of 3

FORM PTO-1449

U.S. Dept. of Commerce
Patent and Trademark Office

Atty Docket No.

P1105R1D1C1

Serial No.

09/940,166

LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

Applicant

Blank et al.

Filing Date

27 Aug 2001

Group

OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

| | |
|-----|--|
| *29 | Cleazardin, "One-step procedure for the rapid isolation of mouse monoclonal antibodies and their antigen binding fragments by fast protein liquid chromatography on a mono Q anion-exchange column" <u>Journal of Chromatography</u> 319:67-77 (1985) |
| *30 | Duchosal et al., "Immunization of hu-PBL-SCID mice and the rescue of human monoclonal Fab fragments through combinatorial libraries" <u>Nature</u> 355(6357):258-262 (Jan 16, 1992) |
| *31 | Gruber et al., "Efficient Tumor Cell Lysis Mediated by a Bispecific Single Chain Antibody Expressed in Escherichia Coli" <u>Journal of Immunology</u> 152:5368-5374 (1994) |
| *32 | Holliger et al., "Diabodies": Small Bivalent and Bispecific Antibody Fragments" <u>Proc. Natl. Acad. Sci. USA</u> 90:6444-6448 (Jul 1993) |
| *33 | Jakobovits et al., "Analysis of Homozygous Mutant Chimeric Mice: Deletion of the Immunoglobulin Heavy-Chain Joining Region Blocks B-cell Development and Antibody Production" <u>Proc. Natl. Acad. Sci. USA</u> 90:2551-2555 (March 1993) |
| *34 | Jakobovits et al., "Germ-line Transmission and Expression of a Human-Derived Yeast Artificial Chromosome" <u>Nature</u> 362:255-258 (March 18, 1993) |
| *35 | Kostelny et al., "Formation of a Bispecific Antibody by the Use of Leucine Zippers" <u>Journal of Immunology</u> 148(5):1547-1553 (1992) |
| *36 | Landschulz et al., "The Leucine Zipper: A Hypothetical Structure Common to a New Class of DNA Binding Proteins" <u>Science</u> 240:1759-1764 (1988) |
| *37 | Lindmark et al., "Binding of immunoglobulins to protein A and immunoglobulin levels in mammalian sera" <u>J. Immunol. Meth.</u> 62:1-13 (1983) |
| *38 | Marks et al., "By-Passing Immunization: Building High Affinity Human Antibodies by Chain Shuffling" <u>Bio/Technology</u> 10:779-783 (1992) |
| *39 | Marks et al., "By-passing immunization: human antibodies from V-gene libraries displayed on phage" <u>J. Mol. Biol.</u> 222:581-597 (1991) |
| *40 | McCafferty et al., "Phage antibodies: filamentous phage displaying antibody variable domains" <u>Nature</u> 348:552-554 (1990) |
| *41 | Milstein and Cuello, "Hybrid Hybridomas and Their Use in Immunohistochemistry" <u>Nature</u> 305:537-540 (Oct 1983) |
| *42 | Morimoto et al., "Single-step purification of F(ab') ₂ fragments of mouse monoclonal antibodies (immunoglobulins G1) by hydrophobic interaction high performance liquid chromatography using TSKgel Phenyl-5PW" <u>Journal of Biochemical and Biophysical Methods</u> 24:107-117 (1992) |
| *43 | Morrison et al., "Chimeric Human Antibody Molecules: Mouse Antigen-binding Domains with Human Constant Region Domains" <u>Proc. Natl. Acad. Sci. USA</u> 81:6851-6855 (November 1984) |
| *44 | O'Shea et al., "Preferential heterodimer formation by isolated leucine zippers from fos and jun" <u>Science</u> 245(4918):646-648 (Aug 11, 1989) |
| *45 | Pluckthun, A., "Antibodies from Escherichia coli" <u>The Pharmacology of Monoclonal Antibodies</u> , Rosenberg and Moore, New York:Springer-Verlag, Chapter 11, Vol. 113:269-315 (1994) |
| *46 | Presta et al., "Humanization of an Antibody Directed Against IgE" <u>J. Immunol.</u> 151(5):2623-2632 (September 1, 1993) |
| *47 | Reif et al., "Characterization and application of strong ion-exchange membrane adsorbers as stationary phases in high-performance liquid chromatography of proteins" <u>Journal of Chromatography A</u> 654:29-41 (1993) |
| *48 | Sahni et al., "Proteosynthetic activity of immobilized Staphylococcus aureus V8 protease: application in the semisynthesis of molecular variants of α -globin" <u>Analytical Biochemistry</u> 193(2):178-185 (Mar 2, 1991) |

Examiner

David A. Saunders

Date Considered

10/15/03

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

USCOMM-DC 80-398.

U.S. Dept. of Commerce
Patent and Trademark Office

Serial No.
09/940,166

Applicant
Blank et al.

Filing Date
27 Aug 2001

| Group | |
|-------|--|
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| 11 | |
| 12 | |
| 13 | |
| 14 | |
| 15 | |
| 16 | |
| 17 | |
| 18 | |
| 19 | |
| 20 | |
| 21 | |
| 22 | |
| 23 | |
| 24 | |
| 25 | |
| 26 | |
| 27 | |
| 28 | |
| 29 | |
| 30 | |
| 31 | |
| 32 | |
| 33 | |
| 34 | |
| 35 | |
| 36 | |
| 37 | |
| 38 | |
| 39 | |
| 40 | |
| 41 | |
| 42 | |
| 43 | |
| 44 | |
| 45 | |
| 46 | |
| 47 | |
| 48 | |
| 49 | |
| 50 | |
| 51 | |
| 52 | |
| 53 | |
| 54 | |
| 55 | |
| 56 | |
| 57 | |
| 58 | |
| 59 | |
| 60 | |
| 61 | |
| 62 | |
| 63 | |
| 64 | |
| 65 | |
| 66 | |
| 67 | |
| 68 | |
| 69 | |
| 70 | |
| 71 | |
| 72 | |
| 73 | |
| 74 | |
| 75 | |
| 76 | |
| 77 | |
| 78 | |
| 79 | |
| 80 | |
| 81 | |
| 82 | |
| 83 | |
| 84 | |
| 85 | |
| 86 | |
| 87 | |
| 88 | |
| 89 | |
| 90 | |
| 91 | |
| 92 | |
| 93 | |
| 94 | |
| 95 | |
| 96 | |
| 97 | |
| 98 | |
| 99 | |
| 100 | |

| | |
|-----|---|
| *49 | Shalaby et al., "Development of Humanized Bispecific Antibodies Reactive with Cytotoxic Lymphocytes and Tumor Cells Overexpressing the HER2 Protooncogene" <u>Journal of Experimental Medicine</u> 175:217-225 (Jan 1, 1992) |
| *50 | Suresh et al., "Bispecific Monoclonal Antibodies from Hybrid Hybridomas" <u>Methods in Enzymology</u> 121:210-228 (1986) |
| *51 | Trautnecker et al., "Bispecific Single Chain Molecules (Janusins) Target Cytotoxic Lymphocytes on HIV Infected Cells" <u>EMBO Journal</u> 10(12):3655-3659 (1991) |
| *52 | Tutt et al., "Trispecific F(ab') ₃ Derivatives That Use Cooperative Signaling Via the TCR/CD3 Complex and CD2 to Activate and Redirect Resting Cytotoxic T Cells" <u>J. Immunol.</u> 147(1):60-69 (1991) |
| *53 | Voyksner et al., "Optimization of immobilized enzyme hydrolysis combined with high-performance liquid chromatography/thermospray mass spectrometry for the determination of neuropeptides" <u>Analytical Biochemistry</u> 188(1):72-81 (Jul 1990) |
| *54 | Waterhouse et al., "Combinatorial infection and in vivo recombination: a strategy for making large phage antibody repertoires" <u>Nucleic Acids Research</u> 21:2265-2266 (1993) |
| *55 | Zapata et al., "Engineering linear F(ab') ₂ fragments for efficient production in <i>Escherichia coli</i> and enhanced antiproliferative activity" <u>Protein Engineering</u> 8(10):1057-1062 (1995) |

RECEIVED

DEC 11 2001

TECH CENTER 1600/2900

David a Saenelus

10/15/03

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.